



WHITEHOUSE
FLEXIBLE TUBING LTD



STAINLESS STEEL COPPER PACKED INTERLOCK

Please follow the steps below to order
your custom lengths.

[For standard coils click here](#)



Please follow the steps below to order your custom lengths.

[For standard coils click here](#)



WHITEHOUSE
FLEXIBLE TUBING LTD

TECHNICAL DATA

Bore	I/D	O/D	Inside Bend	Weight (Kg.)
3/4 ²	20	25	82	45
7/8 ²	22	27	90	52
1 ²	25	30	103	60
1.1/8 ²	28	33	115	68
1.1/4 ²	32	37	131	75
1.3/8 ²	35	40	144	82
1.1/2 ²	38	43	156	90
1.5/8 ²	41	46	168	98
1.3/4 ²	45	51	185	102
1.7/8 ²	48	53	197	110
2 ²	51	56	209	119
2.1/8 ²	54	60	221	125



WHITEHOUSE
FLEXIBLE TUBING LTD

2.1/4 ^ø	57	63	234	135
2.3/8 ^ø	60	66	246	140
2.1/2 ^ø	63	69	258	145
2.5/8 ^ø	66	72	271	152
2.3/4 ^ø	70	76	287	160
2.7/8 ^ø	72	78	299	170
3 ^ø	76	82	312	178
3.1/8 ^ø	79	85	324	185
3.1/4 ^ø	83	89	340	190
3.3/8 ^ø	86	92	349	198
3.1/2 ^ø	89	95	365	205
3.5/8 ^ø	92	98	377	215
3.3/4 ^ø	95	101	390	220
3.7/8 ^ø	98	104	406	230
4 ^ø	102	108	418	238
4.1/8 ^ø	105	111	431	242



WHITEHOUSE
FLEXIBLE TUBING LTD

4.1/4 [?]	108	114	443	250
4.1/2 [?]	114	120	467	260
4.3/4 [?]	121	127	494	272
5 [?]	127	133	521	285
5.1/8 [?]	130	136	533	292
5.1/2 [?]	140	146	574	310
6 [?]	152	158	623	335
6.1/2 [?]	165	171	678	360
7 [?]	178	184	729	385
8 [?]	203	209	832	435
9 [?]	229	235	939	495
10 [?]	250	256	1041	560
11 [?]	279	285	1144	625
12 [?]	305	311	1250	685